



Excavator Pricing

SP 89 - Effective January 1, 2024

Discovery Crossover Series Excavators

Discovery Series excavators are the cost-effective solution for governments and contractors who need to get to jobs faster, complete many different jobs with fewer men and machines, all while keeping within tight equipment budgets. Both two-wheel and four-wheel-drive models feature the famous telescoping, tilting Gradall boom as well as a Freightliner truck chassis.

Model	Net Weight Lbs (kg)	Price
D172 4x2	32,200 (14,600)	\$368,092
D174 4x4	34,500 (15,650)	\$390,910

Highway Speed Wheeled Excavators

Highway speed excavators can be driven up to 60 mph, eliminating the need for a lowboy trailer while they move quickly to job sites and then back to the safety of the equipment yard. Series V models feature full-tilting telescoping booms and new Tier 4 final compliant Volvo engines as well as AutoDrive™ mobility advantages including an automatic transmission and other advantages.

Model	Net Weight Lbs (kg)	Price
XL3100 V 4x2	40,930 (18,566)	\$497,769
XL3100 V 4x4	41,720 (18,924)	\$517,389
XL4100 V 6x4	49,684 (22,539)	\$566,368
XL4100 V 6x6	50,925 (23,099)	\$581,998
XL5100 V 6x4	57,670 (26,159)	\$620,159
XL5100 V 6x6	58,379 (26,488)	\$646,945

Rough Terrain Wheeled Excavators

Excellent stability allows rough terrain wheeled models to pick and carry large loads as well as work at the front, rear or either side of the carrier - all without the need for optional outriggers. A highly mobile undercarriage on Series V models moves easily over both pavement and dirt, all powered by a Tier 4 final complaint Volvo engine. The low-profile telescoping boom can work under bridges and trees, accomplishing more work with full boom tilt advantage.

Model	Net Weight Lbs (kg)	Price
XL3300 V	39,294 (17,823)	\$421,726
XL4300 V	43,580 (19,768)	\$462,685
XL5300 V	51,216 (23,231)	\$524,493

Crawler Excavators

Series V models feature Tier 4 final complaint Volvo engines and other advantages, preparing them for cost-efficient, highly productive versatility on mud, rocks, sand and dirt. Versatility is rooted in the legendary full tilting, telescoping boom that can do more with more attachments, even working under bridges and in tunnels where conventional booms won't fit.

Model	Net Weight Lbs (kg)	Price
XL3200 V	39,240 (17,799)	\$374,634
XL4200 V	46,862 (21,256)	\$421,772
XL5200 V	54,452 (24,699)	\$497,954

SP 89 - Effective January 1, 2024



Gradall Industries LLC • 406 Mill Avenue SW • New Philadelphia, OH 44663 • Ph: (330) 339-2211





Excavator Pricing

SP 89 - Effective January 1, 2024

Steel Mill Maintenance Machines

Rugged Gradall steel mill maintenance machines bring needed versatility into demanding metal mill environments. From ground level to boom end, these machines are built and tested for tough and efficient work in furnaces with extra telescoping boom range and 360° attachment rotation.

Crawler Models	Net Weight Lbs (kg)	Price
XL 3210V	44,327 (20,106)	Contact Factory
XL 4210V	48,862 (22,163)	Contact Factory
XL 5210V	59,162 (26,835)	Contact Factory
XL 7210V	79,000 (35,970)	Contact Factory

Wheeled Models	Net Weight Lbs (kg)	Price
XL 3310 V	42,294 (19,184)	Contact Factory
XL 4310 V	46,580 (21,128)	Contact Factory
XL 5310 V	55,926 (25,368)	Contact Factory
XL 7310 V	77,500 (35,153)	Contact Factory

Aluminum Mill Maintenance Machines

Gradall aluminum mill maintenance machines are rugged machines specially designed to efficiently skim dross and maintain walls and bottoms in aluminum furnaces. The tough boom articulates effectively to work inside furnaces.

Crawler Models	Net Weight Lbs (kg)	Price
XL 4240 V	67,500 (30,617)	Contact Factory

Wheeled Models	Net Weight Lbs (kg)	Price
XL 4340 V	68,220 (30,944)	Contact Factory

Railway Maintenance Machines

The industry's most versatile and mobile railway maintenance machine is the do-it-all solution for rail repairs, construction, vegetation control, ballast spreading and more.

Highway Speed Models	Net Weight Lbs (kg)	Price
XL 4130 V RD	54,500 (24,720)	Contact Factory
XL 5130 V RD	62,500 (28,350)	Contact Factory

Wheeled Models	Net Weight Lbs (kg)	Price
XL 3330 V	43,034 (19,520)	Contact Factory
XL 4330 V	47,320 (21,464)	Contact Factory
XL 5330 V	55,200 (25,038)	Contact Factory

Mine Scaling Machines

Gradall's mine scalers are specially engineered to handle the rigors of mine scaling, with a powerful boom that rotates for efficient mine scaling at hard-to-reach angles.

Crawler Models	Net Weight Lbs (kg)	Price
XL 3220 V	44,327 (20,106)	Contact Factory
XL 4220 V	48,862 (22,163)	Contact Factory
XL 5220 V	59,162 (26,835)	Contact Factory

Wheeled Models	Net Weight Lbs (kg)	Price
XL 3320 V	42,294 (19,184)	Contact Factory
XL 4320 V	46,580 (21,128)	Contact Factory
XL 5320 V	55,926 (25,368)	Contact Factory
XL 7320 V	77,500 (35,153)	Contact Factory

SP 89 - Effective January 1, 2024



Gradall Industries LLC • 406 Mill Avenue SW • New Philadelphia, OH 44663 • Ph: (330) 339-2211





Attachments

SP 89 - Effective January 1, 2024

Attachments Discovery Series Crossover Highway Speed Wheeled Excavators				
Number	Description	D152	D154	
82155003	GRAPPLE - FIXED THUMB	√	√	
82155004	LIMB SHEAR	√	√	
82155005	ROTARY MOWER, TIGER BRAND 50"	√	√	
82155006	FLAIL MOWER, TIGER BRAND 40"	√	√	
82156004	BUCKET - PAVEMENT REMOVAL 24"	√	√	
82156008	BUCKET - EXCAVATING 36"	√	√	
82156015	BUCKET - EXCAVATING 24"	√	√	
82156009	BUCKET - DITCHING - 60" STANDARD (ORDER 82155001 FOR BOLT ON EDGE)	√	√	
82155001	BOLT ON CUTTING EDGE FOR B2156009 60" DITCH BUCKET	√	√	

Attachments XL Series Excavators					
Number	Description	XL3000	XL4000	XL5000	
80656037	ATTACHMENT ADAPTER - BLANK	√	√	√	
80655033	AUX. HYD. HOSES FOR 4' BOOM EXTENSION	√	√	√	
80655034	AUX. HYD. HOSES FOR 6' BOOM EXTENSION		√	√	
80655035	AUX. HYD. HOSES FOR 8' BOOM EXTENSION		√	√	
80655036	AUX. HYD. HOSES FOR 12' BOOM EXTENSION			√	
80655028	BOOM EXTENSION - 4 FT.	√	√	√	
80655029	BOOM EXTENSION - 6 FT.		√	√	
80655030	BOOM EXTENSION - 8 FT.		√	√	
80655031	BOOM EXTENSION - 12 FT.			√	
80656040	BUCKET - DITCHING - 30"	√	√	√	
80656007	BUCKET - DITCHING - 60"	√	√	√	
80656034	BUCKET - DITCHING - 60" CONSTANT RADIUS	√	√	√	
80656092	BUCKET - DITCHING - 60" W/ BOLT ON CUTTING EDGE	√	√	√	
80656006	BUCKET - DITCHING - 66" CONSTANT RADIUS	√	√	√	
80656093	BUCKET - DITCHING - 66" W/ BOLT ON CUTTING EDGE	√	√	√	
80656002	BUCKET - DITCHING - 72"	√	√	√	
80656118	BUCKET - DITCHING - 72" (1.6 CU. YD.)		√	√	
80656094	BUCKET - DITCHING - 72" W/ BOLT ON CUTTING EDGE	√	√	√	
80656029	BUCKET - DREDGING 108"		√	√	
80656013	BUCKET - DREDGING 72"	√	√	√	
80456020	BUCKET - EXCAVATING - 24"	√	√	√	
80456021	BUCKET - EXCAVATING - 30"	√	√	√	
80456022	BUCKET - EXCAVATING - 36"	√	√	√	
80456023	BUCKET - EXCAVATING - 42"	√	√	√	
80456024	BUCKET - EXCAVATING - 48"	√	√	√	
80656065	BUCKET - EXCAVATING 24" W/OUT TEETH	√	√	√	

SP 89 - Effective January 1, 2024



Gradall Industries LLC • 406 Mill Avenue SW • New Philadelphia, OH 44663 • Ph: (330) 339-2211





Attachments

SP 89 - Effective January 1, 2024

Attachments XL Series Excavators - Continued				
Number	Description	XL3000	XL4000	XL5000
80656115	BUCKET - PAVEMENT REMOVAL - 18" (CURBING)	✓	✓	✓
80656116	BUCKET - PAVEMENT REMOVAL - 24" (CURBING)	✓	✓	✓
80656114	BUCKET - PAVEMENT REMOVAL - 28"	✓	✓	✓
80656102	BUCKET - PAVEMENT REMOVAL - 40"	✓	✓	✓
80656119	BUCKET - PAVEMENT REMOVAL - 48"		✓	✓
80656104	BUCKET - TRENCHING - 15"	✓	✓	✓
80656012	BUCKET - TRENCHING - 21"	✓	✓	✓
80755023	FIXED THUMB GRAPPLE	✓	✓	✓
80656024	GRADING BLADE - 8 FT.	✓	✓	✓
80656035	GUARDRAIL CLEAN-OUT	✓	✓	✓
80455052	TREE LIMB SHEAR	✓	✓	✓
80756038	SINGLE TOOTH RIPPER	✓	✓	✓
	TELESTICK BOOM EXTENSION & BUCKET		✓	
	TELESTICK BOOM EXTENSION & BUCKET			✓
80755034	ADJUSTABLE ANGLE 7 FT. BOOM EXTENSION		✓	✓

Options

Upperstructure Options Discovery Series Crossover Highway Speed Wheeled Excavators			
Number	Description	D152	D154
80769043K	CAMERA SYSTEM	✓	✓
80865008K	FIRE EXTINGUISHER 10# - UPPER	✓	✓
82139002K	AUX HYDRAULICS - BI-DIRECTIONAL	✓	✓
82179008K	BEACON, SINGLE LED WITH BRANCH GUARD - UPPER	✓	✓
82179009K	WORK LIGHTS, LED	✓	✓

Chassis Options Discovery Series Crossover Highway Speed Wheeled Excavators			
Number	Description	D152	D154
80789080	FIRE EXTINGUISHER 10# - CHASSIS WITH COVER	✓	✓
82179007K	BEACON, DUAL BEAM, LED WITH BRANCH GUARD - CHASSIS	✓	✓
82189020K	STEP, PASSENGER SIDE	✓	✓
82189021K	STEP DRIVER'S (LH) SIDE REAR	✓	✓
82189022K	STEP, PASSENGER SIDE (RH) REAR	✓	✓
82189047K	ENGINE BLOCK HEATER	✓	✓

SP 89 - Effective January 1, 2024



Gradall Industries LLC • 406 Mill Avenue SW • New Philadelphia, OH 44663 • Ph: (330) 339-2211





Options

SP 89 - Effective January 1, 2024

Upperstructure Options Highway Speed Wheeled Excavators

Number	Description	XL3100	XL4100	XL5100
	AUX. HYDRAULICS W/ AUX. HYD. PLUMBING - MOTOR SPOOL	√	√	√
	AUX. HYDRAULICS W/ AUX. HYD. PLUMBING - CYLINDER SPOOL	√	√	√
80865008	FIRE EXTINGUISHER 10# - UPPER	√	√	√
	PAINT, SPECIAL, ONE COLOR, BLACK CABS	√	√	√
	PAINT, SPECIAL, ONE COLOR, INCLUDING CABS	√	√	√
80365013	SEAT BELT - UPPER	√	√	√
80465069	STROBE LIGHT - UPPER CAB	√	√	√
80763114	VANDAL COVER INSTALLATION - UPPER	√	√	√

Chassis Options Highway Speed Wheeled Excavators

Number	Description	XL3100	XL4100	XL5100
80789150	AIR CONDITIONING INSTALLATION - CHASSIS	√	√	√
X3105065	AIR RESTRICTION GAUGE - CHASSIS CAB	√	√	√
80789070	AM / FM STEREO RADIO - CHASSIS / WEATHERBAND - CHASSIS	√	√	√
80483243	BATTERY - INTERSTATE OPTIMA - MAINTENANCE FREE - SPIRAL WOUND CELLS	√	√	√
80789173	BLOCK HEATER	√	√	√
	BOOM REST FOR TELESTICK		√	√
80789068	BUCKET CARRIER ASSEMBLY		√	√
80789080	FIRE EXTINGUISHER 10# - CHASSIS WITH COVER	√	√	√
80485043	LEFT HAND REAR STEP	√	√	√
80385057	PROTECTO - SEAL LOCKING FUEL CAP W/ KEY	√	√	√
	RAILGEAR "READY" OPTION	√	√	√
	RAILGEAR OPTION - COMPLETE INSTALLATION	√	√	√
80785089	SPARE FRONT TIRE / WHEEL ASSEMBLY, 385/65R 22.5 (4x2,6x4)	√	√	√
80785090	SPARE FRONT TIRE / WHEEL ASSEMBLY, 425/65R 22.5 (4x4,6x6)	√	√	√
80785088	SPARE REAR TIRE / WHEEL ASSEMBLY, 11R/24.5 (4x2,4x4,6x4,6x6)	√	√	√
80789180	STROBE LIGHT - CHASSIS	√	√	√
80785044	TRAVEL ALARM - ADJUSTABLE VOLUME	√	√	√
80783250	VANDAL COVER INSTALLATION - CHASSIS	√	√	√

SP 89 - Effective January 1, 2024



Gradall Industries LLC • 406 Mill Avenue SW • New Philadelphia, OH 44663 • Ph: (330) 339-2211





Options

SP 89 - Effective January 1, 2024

Upperstructure Options Wheeled Rough Terrain Excavators

Number	Description	XL3300	XL4300	XL5300
	AUX. HYDRAULICS W/ AUX. HYD. PLUMBING - MOTOR SPOOL	√	√	√
	AUX. HYDRAULICS W/ AUX. HYD. PLUMBING - CYLINDER SPOOL	√	√	√
80779046	ENGINE BLOCK HEATER	√	√	√
80865008	FIRE EXTINGUISHER 10# - UPPER	√	√	√
	PAINT, SPECIAL, ONE COLOR, BLACK CABS	√	√	√
	PAINT, SPECIAL, ONE COLOR, INCLUDING CABS	√	√	√
80465069	STROBE LIGHT - UPPER CAB	√	√	√
80763114	VANDAL COVER INSTALLATION - UPPER CAB	√	√	√
80755015	BUCKET HOLD OPEN KIT, MECHANICAL	√	√	√
80434319	BUCKET HOLD OPEN KIT, HYDRAULIC	√	√	√

Chassis Options Wheeled Rough Terrain Excavators

Number	Description	XL3300	XL4300	XL5300
80795015	OUTRIGGER / STABILIZER OPTION	√	√	√
	RAILGEAR OPTION - COMPLETE INSTALLATION	√		
80795002	SPARE TIRE / WHEEL ASSEMBLY, LEFT INNER	√	√	√
80795003	SPARE TIRE / WHEEL ASSEMBLY, LEFT OUTER	√	√	√
80795004	SPARE TIRE / WHEEL ASSEMBLY, RIGHT INNER	√	√	√
80795005	SPARE TIRE / WHEEL ASSEMBLY, RIGHT OUTER	√	√	√
	SPECIAL " OFF - SET " INNER WHEEL ASSY'S (4) FOR RAIL GEAR OPTION	√		
	TRAVEL ALARM - ADJUSTABLE VOLUME	√	√	√
80795016	BACKFILL BLADE		√	√
80895003	BACKFILL BLADE	√		

Upperstructure Options Crawler Excavators

Number	Description	XL3200	XL4200	XL5200
	AUX. HYDRAULICS W/ AUX. HYD. PLUMBING - MOTOR SPOOL	√	√	√
	AUX. HYDRAULICS W/ AUX. HYD. PLUMBING - CYLINDER SPOOL	√	√	√
80779046	ENGINE BLOCK HEATER	√	√	√
80865008	FIRE EXTINGUISHER 10# - UPPER	√	√	√
	PAINT, SPECIAL, ONE COLOR, BLACK CABS	√	√	√
	PAINT, SPECIAL, ONE COLOR, INCLUDING CABS	√	√	√
80365013	SEAT BELT - UPPER	√	√	√
80769025	STROBE LIGHT - UPPER CAB	√	√	√
80769034	TRAVEL ALARM, ADJUSTABLE VOLUME	√	√	√
80763114	VANDAL COVER INSTALLATION - UPPER CAB	√	√	√
80755015	BUCKET HOLD OPEN KIT, MECHANICAL	√	√	√
80434319	BUCKET HOLD OPEN KIT, HYDRAULIC	√	√	√

SP 89 - Effective January 1, 2024



Gradall Industries LLC • 406 Mill Avenue SW • New Philadelphia, OH 44663 • Ph: (330) 339-2211

